

Pregnancy Detail (PG) Section

BOX\_01  
=====

```

-----
| IF LOOPING ON 'PREVIOUS ROUND PREGNANCY' OR |
| 'PREGNANCY 1' (FROM CURRENT ROUND), CONTINUE WITH |
| PG01 |
-----
| OTHERWISE, GO TO PG02 |
-----

```

PG01  
=====

```

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
{We recorded that (PERSON) (were/was) pregnant at the time of
our last interview on {PREV RD INTV DATE}.}
{(Are/Is)/(Were/Was)} (PERSON) {currently} pregnant {with that
pregnancy} {on December 31, 2000}?
{CODE 3 IF RESPONDENT SAYS PERSON WAS NOT PREGNANT AT LAST
INTERVIEW.}
  YES ..... 1
  NO ..... 2
  {NOT PREGNANT AT LAST INTERVIEW ..... 3 {BOX_02}}
  REF ..... -7 {BOX_02}
  DK ..... -8 {BOX_02}
                                [Code One]

```

```

-----
| DISPLAY 'We recorded that (PERSON) (were/was) |
| pregnant at the time of our last interview on |
| {PREV RD INTV DATE}.'; 'with that pregnancy'; |
| 'CODE 3 IF RESPONDENT SAYS PERSON WAS NOT PREGNANT |
| AT LAST INTERVIEW.'; AND 'NOT PREGNANT AT LAST |
| INTERVIEW ..... 3 {BOX_02}' IF PERSON CODED AS |
| 'STILL PREGNANT' AT LAST INTERVIEW AND LOOPING ON |
| 'PREVIOUS ROUND PREGNANCY' FOR THIS PERSON. |
| OTHERWISE, USE A NULL DISPLAY. |
| |
| DISPLAY '(Are/Is)' IF NOT ROUND 5. DISPLAY |
| '(Were/Was)' IF ROUND 5. |
| |
| DISPLAY 'currently' IF NOT ROUND 5. OTHERWISE, |
| USE A NULL DISPLAY. |
| |
| DISPLAY 'on December 31, 2000' IF ROUND 5. |
| OTHERWISE, USE A NULL DISPLAY. |
-----
| IF CODED '3' (NOT PREGNANT AT LAST INTERVIEW), |
| FLAG ITEM FOR EVENT CLEANUP. |
-----

```

BOX\_01A  
=====

```

| IF ROUND 3, CONTINUE WITH PG01A |
-----
| OTHERWISE, GO TO BOX_01B |
-----

```

PG01A

=====

```

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
(Were/Was) (PERSON) pregnant on December 31, 1999?
YES ..... 1
NO ..... 2
REF ..... -7
DK ..... -8

```

BOX\_01B

=====

```

-----
| IF PERSON CURRENTLY PREGNANT (PG01 = 1), GO TO |
| PG03 |
-----
| IF PERSON NOT CURRENTLY PREGNANT (PG01 = 2), |
| CONTINUE WITH PG02 |
-----

```

PG02

=====

```

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
Did (PERSON)'s {most recent pregnancy/next most recent
pregnancy/pregnancy that we talked about last time} end
in a live birth?
{IF MORE THAN ONE PREGNANCY SINCE (START DATE), PROBE FOR
OUTCOME OF (NEXT) MOST RECENT PREGNANCY.}
IF RESPONDENT VOLUNTEERS STILLBIRTH, MISCARRIAGE, OR ABORTION,
CODE AS APPROPRIATE.
DO NOT PROBE A 'NO' RESPONSE. CODE 5, 'NO, OUTCOME NOT
VOLUNTEERED.'
YES, ENDED IN A LIVE BIRTH ..... 1
NO, ENDED IN MISCARRIAGE ..... 2 {BOX_02}
NO, ENDED IN STILLBIRTH ..... 3 {BOX_02}
NO, ENDED IN ABORTION ..... 4 {BOX_02}
NO, OUTCOME NOT VOLUNTEERED ..... 5 {BOX_02}
REF ..... -7 {BOX_02}
DK ..... -8 {BOX_02}
[Code One]

```

```

-----
| DISPLAY 'most recent pregnancy' IF LOOPING ON |
| FIRST PREGNANCY OF CURRENT REFERENCE PERIOD. |
| |
| DISPLAY 'next most recent pregnancy' IF LOOPING ON |
| ANY PREGNANCY, AFTER THE FIRST PREGNANCY, OF |
| CURRENT REFERENCE PERIOD. |
| |
| DISPLAY 'pregnancy that we talked about last time' |

```

```

| IF LOOPING ON PREGNANCY FROM PREVIOUS ROUND. |
|
| DISPLAY `IF MORE THAN ONE PREGNANCY SINCE (START |
| DATE), PROBE FOR OUTCOME OF (NEXT) MOST RECENT |
| PREGNANCY.` IF NOT LOOPING ON FIRST PREGNANCY OF |
| CURRENT ROUND OR PREGNANCY FROM PREVIOUS ROUND. |
-----

```

PG03

=====

```

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
SHOW CARD PG-1.
Looking at this card, which of these complications, if any,
did (PERSON) experience during this pregnancy?
CODE ALL THAT APPLY.
HIGH BLOOD PRESSURE, TOXEMIA,
  PRE-ECLAMPSIA, OR ECLAMPSIA ..... 1
ANEMIA ..... 2
DIABETES, GESTATIONAL DIABETES, OR
  HIGH BLOOD SUGAR ..... 3
LOW LYING PLACENTA (PLACENTA PREVIA) .. 4
VAGINAL BLEEDING ..... 5
PREMATURE LABOR ..... 6
NONE OF THESE COMPLICATIONS ..... 95
REF ..... -7
DK ..... -8
          [Code All That Apply]
PRESS F1 FOR DEFINITION OF SELECTED CONDITIONS.
-----
| NOTE: CODE `95` (NONE OF THESE COMPLICATIONS) |
| WILL NOT APPEAR ON THE SHOW CARD. |
-----
| IF PG01 IS CODED `1` (YES), GO TO PG11 |
-----
| OTHERWISE, CONTINUE WITH PG04 |
-----

```

PG04

=====

```

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
How many babies did (PERSON) deliver?
[Enter Small Number] .....
REF ..... -7
DK ..... -8
-----
| NOTE: IF PG04 IS CODED `-7` (REFUSED) OR `-8` |
| (DON'T KNOW), ASK ITEMS LOOP_01 TO END_LP01 ONCE. |
-----
| SOFT RANGE CHECK: 1 TO 6 BABIES. |
-----
| DISPLAY THE FOLLOWING MESSAGE: `PLEASE BE SURE |

```

| THE BABY/BABIES WERE ADDED TO THE RU. IF NOT, |  
| MAKE A COMMENT DESCRIBING THE SITUATION.' |

PG05

=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}  
Where was the delivery - in a hospital, a birthing center  
separate from a hospital, at home, or some other place?  
HOSPITAL ..... 1 {PG06}  
BIRTHING CENTER ..... 2 {LOOP\_01}  
HOME ..... 3 {LOOP\_01}  
SOME OTHER PLACE ..... 91  
REF ..... -7 {LOOP\_01}  
DK ..... -8 {LOOP\_01}

[Code One]  
PRESS F1 FOR DEFINITIONS OF ANSWER CATEGORIES.

-----  
| IF CODED '1' (HOSPITAL), '2' (BIRTHING CENTER), |  
| '3' (HOME), OR '91' (SOME OTHER PLACE), DISPLAY |  
| THE FOLLOWING MESSAGE: 'PLEASE BE SURE TO ENTER |  
| THE APPROPRIATE EVENTS FOR BOTH MOTHER AND BABY.' |

PG05OV

=====

ENTER OTHER:  
[Enter Other Specify] ..... {LOOP\_01}  
REF ..... -7 {LOOP\_01}  
DK ..... -8 {LOOP\_01}

PG06

=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}  
What kind of delivery did (PERSON) have? Was it a vaginal  
delivery or a caesarean section?  
VAGINAL DELIVERY ..... 1  
CAESAREAN SECTION ..... 2 {LOOP\_01}  
REF ..... -7 {LOOP\_01}  
DK ..... -8 {LOOP\_01}

[Code One]  
PRESS F1 FOR DEFINITIONS OF ANSWER CATEGORIES.

PG07

=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}  
Were forceps used for the delivery?  
YES ..... 1  
NO ..... 2  
REF ..... -7  
DK ..... -8

PRESS F1 FOR DEFINITION OF FORCEPS.

PG08

=====

```
{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
Did (PERSON) receive an epidural or a 'spinal' for pain?
YES ..... 1
NO ..... 2
REF ..... -7
DK ..... -8
      PRESS F1 FOR DEFINITION OF EPIDURAL/SPINAL.
```

LOOP\_01

=====

```
-----
| FOR EACH OF THE FOLLOWING: |
| | | | |
| BABY #1 |
| BABY #2 |
| BABY #3 |
| BABY #4 |
| BABY #5 |
| | | | |
| ASK PG09-END_LP01 |
| | | | |
|-----
```

```
-----
| LOOP DEFINITION: LOOP_01 COLLECTS INFORMATION |
| ABOUT EACH BABY BORN AS A RESULT OF THE PREGNANCY |
| BEING ASKED ABOUT. THE NUMBER OF LOOP CYCLES IS |
| DETERMINED BY THE RESPONSE TO PG04. LOOP_01 |
| CYCLES THE NUMBER OF TIMES AS THE NUMBER CODED IN |
| PG04. IF PG04 IS CODED '-7' (REFUSED) OR '-8' |
| (DON'T KNOW), TREAT AS A '1' RESPONSE TO PG04; |
| THAT IS, CYCLE THROUGH LOOP_01 ONCE. |
|-----
```

PG09

=====

```
{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
{BABY #{n}}
How much did the (first/next) baby weigh at birth?
POUNDS AND OUNCES ..... 1 {PG09OV1}
GRAMS ..... 2 {PG09OV3}
REF ..... -7 {PG10}
DK ..... -8 {PG10}
      [Code One]
```

```
-----
| DISPLAY 'BABY #{n}' IF PG04 IS NOT CODED '1', |
| '-7' (REFUSED), OR '-8' (DON'T KNOW). |
| DISPLAY THE NUMBER OF THE CURRENT LOOP CYCLE (FOR |
| LOOP_01) FOR 'n'. |
|-----
```

```
-----
| RANGE CHECK: 2-15 FOR POUNDS; 0-15 FOR OUNCES; |
| 500-6800 FOR GRAMS. |
|-----
```

PG09OV1

=====

```
ENTER POUNDS:
  [Enter Pounds] .....
  REF ..... -7 {PG10}
  DK ..... -8 {PG10}
```

PG09OV2

=====

PROBE FOR OUNCES IF NOT REPORTED.

```
ENTER OUNCES:
  [Enter Ounces] .....
  REF ..... -7
  DK ..... -8
```

```
-----
| IF THE RESPONSE TO PG09OV1 IS '5' FOR THE NUMBER |
| OF POUNDS AND PG09OV2 IS CODED '-7' (REFUSED) OR |
| '-8' (DON'T KNOW), GO TO PG10 |
|-----
```

```
-----
| OTHERWISE, GO TO END_LP01 |
|-----
```

PG09OV3

=====

```
ENTER GRAMS:
  [Enter Grams] ..... {END_LP01}
  REF ..... -7
  DK ..... -8
```

PG10

=====

```
{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}
{END-DT}
{BABY #{n}}
```

Did the (first/next) baby weigh less than five and a half pounds (2500 grams), five and a half to nine pounds (2500 to 4100 grams), or more than 9 pounds (4100 grams)?

```
  LESS THAN 5-1/2 POUNDS/2500 GRAMS ..... 1
  5-1/2 TO 9 POUNDS/2500 TO 4100 GRAMS ... 2
  MORE THAN 9 POUNDS/4100 GRAMS ..... 3
  REF ..... -7
  DK ..... -8
```

[Code One]

```
-----
| DISPLAY 'BABY #{n}' IF PG04 IS NOT CODED '1', |
| '-7' (REFUSED), OR '-8' (DON'T KNOW). DISPLAY |
| THE NUMBER OF THE CURRENT LOOP CYCLE (FOR LOOP_01) |
| FOR 'n'. |
|-----
```

```
-----
| EDIT: IF CODED '3' (MORE THAN 9 POUNDS/4100 GRAMS) |
| AND THE RESPONSE TO PG09OV1 IS '5' FOR THE NUMBER |
| OF POUNDS, DISPLAY THE FOLLOWING MESSAGE: |
| 'CODE NOT AVAILABLE. R REPORTED BABY WEIGHED |
| 5 LBS. VERIFY AND RE-ENTER.' |
|-----
```

END\_LP01

=====

```
-----  
| IF NUMBER OF BABIES DELIVERED (PG04) < NUMBER OF |  
| LOOP CYCLES COMPLETED, THEN CYCLE ON NEXT BABY. |  
-----  
| OTHERWISE, END LOOP_01 AND GO TO BOX_02 |  
-----
```

PG11

=====

```
{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}  
{How/As of December 31, 2000, how} many weeks or months pregnant  
{(are/is)/(were/was)} (PERSON)?  
  [Enter Number of Weeks/Months] .....  
  REF ..... -7 {PG12}  
  DK ..... -8 {PG12}  
-----  
| DISPLAY 'How' AND '(are/is)' IF NOT ROUND 5. |  
| DISPLAY 'As of December 31, 2000, how' AND |  
| '(were/was)' IF ROUND 5. |  
-----
```

PG110V

=====

```
ENTER UNIT:  
WEEKS ..... 1 {BOX_02}  
MONTHS ..... 2 {BOX_02}  
REF ..... -7  
DK ..... -8  
                [Code One]  
-----  
| EDIT CHECK: 1-42 FOR WEEKS; 1-10 FOR MONTHS. |  
-----
```

PG12

=====

```
{PERSON'S FIRST MIDDLE AND LAST NAME} {STR-DT}  
{END-DT}  
{(Are/Is)/As of December 31, 2000, (were/was)} (PERSON) less  
than 3 months pregnant, 3-6 months pregnant, or more than 6  
months pregnant?  
  LESS THAN 3 MONTHS ..... 1  
  3 TO 6 MONTHS ..... 2  
  MORE THAN 6 MONTHS ..... 3  
  REF ..... -7  
  DK ..... -8  
                [Code One]  
-----  
| DISPLAY '(Are/Is)' IF NOT ROUND 5. DISPLAY 'As |  
| of December 31, 2000, (were/was)' IF ROUND 5. |  
-----
```

BOX\_02

=====

-----  
RETURN TO THE CE SECTION.

[Return to Top](#)