

Provider Roster (PV) Section

BOX\_00

=====

```
-----  
| CONTEXT HEADER DISPLAY INSTRUCTIONS: |  
| DISPLAY PERS.FULLNAME AND EVNT.EVNTTYPE. |  
-----
```

BOX\_00A

=====

```
-----  
| CAPI SETS PROV.PROVTYPE USING DATA FROM MULTIPLE |  
| QUESTIONS, NOT JUST PV01. ULTIMATELY, THE VALUES |  
| ARE AS FOLLOWS: |  
| 1 - FACILITY |  
| 2 - PERSON |  
| 3 - PERSON IN FACILITY |  
-----
```

PV01

=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

{[What is the name of the person or place that provided health care to {you/{PERSON}}?]}

INTERVIEWER: IS THE PROVIDER {ASSOCIATED WITH THIS EVENT} A PERSON OR A FACILITY (INCLUDING GROUP PRACTICES AND HMOs)?

{IF FACILITY NAMED, PROBE: If {you/{PERSON}} usually {see/sees} a **particular** person at this place, please give me the name of that person **first**.}

PERSON ..... 1  
FACILITY ..... 2 {BOX\_01}

HELP AVAILABLE FOR DEFINITION OF PERSON/FACILITY.

-----  
| DISPLAY '[What is ... {you/{PERSON}}?]' AND |  
| 'ASSOCIATED WITH THIS EVENT' IF THE PROVIDER |  
| ROSTER (PV) SECTION WAS NOT CALLED FROM THE ACCESS |  
| TO CARE (AC) SECTION. IF THE PV SECTION WAS |  
| CALLED FROM THE AC SECTION, USE A NULL DISPLAY. |  
| |  
| DISPLAY 'IF FACILITY NAMED, PROBE: ... person |  
| **first.**' IF THE PV SECTION WAS CALLED FROM THE AC |  
| SECTION. IF THE PV SECTION WAS NOT CALLED FROM |  
| THE AC SECTION, USE A NULL DISPLAY. |  

-----  
| IF CODED '1' (PERSON), SET PROVIDER TYPE TO |  
| 'PERSON-TYPE-PROVIDER'. |  

-----  
| IF CODED '2' (FACILITY), SET PROVIDER TYPE TO |  
| 'FACILITY-PROVIDER'. |  

-----  
| IF NO PERSON-PROVIDERS ON RU-MEDICAL-PROVIDERS- |  
| ROSTER AND PV01 IS CODED '1', THEN CREATE A NEW |  
| PROV RECORD. |  

-----  
| IF CODED '1' (PERSON) AND NO PROVIDERS THAT ARE |  
| TYPE 'PERSON-PROVIDER' ON RU-MEDICAL-PROVIDERS- |  
| ROSTER, GO TO PV04 |  

-----  
| IF CODED '1' (PERSON) AND AT LEAST ONE PROVIDER |  
| THAT IS TYPE 'PERSON-PROVIDER' ON RU-MEDICAL- |  
| PROVIDERS-ROSTER, CONTINUE WITH PV02 |  

-----  
| HARD CHECK: IF EVENT TYPE IS HS, ER, OP, OR IC, |  
| PV01 CANNOT BE CODED '1' (PERSON). IF PV01 IS |  
| CODED '1' (PERSON) FOR AN HS, ER, OP, OR IC EVENT, |  
| THE ERROR HANDLER WILL FORCE THE INTERVIEWER TO |  
| RECTIFY THE DATA. |  

PV02  
 =====

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

What is the name of the person that {provided health care to {you/{PERSON}}/{you/{PERSON}} usually {go/goes} to if {you/he/she} {are/is} sick}?

SELECT CORRECT {USUAL SOURCE OF CARE} PROVIDER {ASSOCIATED WITH THE EVENT}.

ROSTER. PERSON-TYPE-PROVIDER	PV02_02. FACILITY	PV02_03. STREET
1. [Display Truncated Person-Provider-25]	[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]
2. [Display Truncated Person-Provider-25]	[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]
3. [Display Truncated Person-Provider-25]	[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]

```

-----
| DISPLAY 'provided health care to {you/{PERSON}}' |
| IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED |
| FROM THE ACCESS TO CARE (AC) SECTION. IF THE PV |
| SECTION WAS CALLED FROM THE AC SECTION, DISPLAY |
| '{you/{PERSON}} usually {go/goes} to if {you/he/ |
| she} (are/is) sick'. |
-----

```

```

-----
| DISPLAY 'USUAL SOURCE OF CARE' IF THE PROVIDER |
| ROSTER (PV) SECTION WAS CALLED FROM THE ACCESS TO |
| CARE (AC) SECTION. OTHERWISE, USE A NULL DISPLAY. |
| |
| DISPLAY 'ASSOCIATED WITH THE EVENT' IF THE |
| PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM |
| THE ACCESS TO CARE (AC) SECTION. IF THE PV |
| SECTION WAS CALLED FROM THE AC SECTION, USE A NULL |
| DISPLAY. |
| |
| DISPLAY AN 'ADD NEW PROVIDER' OPTION ON THIS |
| SCREEN. |
-----

```

-----  
IF 'ADD NEW PROVIDER' IS SELECTED, GO TO PV04

-----  
OTHERWISE, CONTINUE WITH PV03

-----  
| ROSTER DETAILS: |  
| TITLE: RU\_PROV\_SELECTONE\_1 |  
| |  
| COL # 1 HEADER: PERSON-TYPE-PROVIDER |  
| INSTRUCTIONS: DISPLAY TRUNCATED PERSON-PROVIDER |  
| NAME (PROV.DRFNAME (10), PROV.LORPNAME (15)) |  
| |  
| COL # 2 HEADER: FACILITY |  
| INSTRUCTIONS: DISPLAY FACILITY-PROVIDER NAME |  
| (PROV.PVASSOC (30)) (IF NO FACILITY, USE NULL |  
| DISPLAY) |  
| |  
| COL # 3 HEADER: STREET |  
| INSTRUCTIONS: DISPLAY TRUNCATED STREET ADDRESS |  
(PROV.PVSTRT1, PROV.PVSTRT2 (15))

-----  
| ROSTER DEFINITION: |  
| THIS ITEM DISPLAYS RU-MEDICAL-PROVIDERS-ROSTER |  
FOR SELECTING ONE MEDICAL PROVIDER.

-----  
| ROSTER BEHAVIOR: |  
| 1. SELECT ALLOWED. INTERVIEWER MAY SELECT ONE |  
| FROM THE LISTED MEDICAL PROVIDERS. |  
| |  
| 2. MULTIPLE SELECT DISALLOWED. |  
| |  
| 3. ADD ALLOWED USING THE 'ADD NEW PROVIDER' |  
| BUTTON. |  
| |  
| 4. DELETE AND EDIT ARE NOT ALLOWED. |  
| |  
| 5. IF PROVIDER IS A PERSON-PROVIDER NOT ASSOCIATED |  
| WITH A FACILITY (PROV.PROVTYPE=2), THE FACILITY |  
COLUMN IS EMPTY FOR THAT ROW.

```
-----  
| ROSTER FILTER:                                     |  
| DISPLAY PERSON PROVIDERS (PROV.PROVTYPE = 2)      |  
| AND PERSON-IN-FACILITY PROVIDERS (PROV.PROVTYPE = |  
| 3).                                               |  
-----
```

PV03  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

Is the address of (READ NAME AND ADDRESS OF PROVIDER BELOW)...

```
{PERSON-TYPE-PROVIDER NAME SELECTED AT PV02}  
{FACILITY-PROVIDER ASSOC W/ PERSON-TYPE-PROVIDER}  
{PERSON-TYPE-PROVIDER STREET ADDRESS LINE1}  
{PERSON-TYPE-PROVIDER STREET ADDRESS LINE2}
```

TO MAKE CORRECTIONS OR ADDITIONS TO ADDRESS, MAKE A COMMENT.

```
ADDRESS {& FACILITY NAME} CORRECT ..... 1 {BOX_02}  
ADD NEW ADDRESS (2ND LOCATION) FOR  
  PROVIDER ABOVE..... 2 {PV06}  
ADD NEW/DIFFERENT FACILITY (GROUP  
  PRACTICE) FOR PROVIDER ABOVE ..... 3 {BOX_01}  
SELECTED WRONG PROVIDER/ADDRESS ..... 5  
REF ..... -7 {BOX_02}  
DK ..... -8 {BOX_02}
```

[Code One]

-----  
| FOR {PERSON-TYPE-PROVIDER NAME SELECTED AT PV02}, |  
| DISPLAY THE PERSON-TYPE-PROVIDER NAME SELECTED AT |  
| PV02. |  
| FOR {FACILITY-PROVIDER ASSOC W/ PERSON-TYPE- |  
| PROVIDER.}, DISPLAY THE FACILITY PROVIDER NAME |  
| ASSOCIATED WITH THE PERSON-PROVIDER SELECTED AT |  
| PV02. IF NO FACILITY ASSOCIATED WITH THIS |  
| PERSON PROVIDER, USE A NULL DISPLAY. |  
| FOR {PERSON-TYPE-PROVIDER STREET ADDRESS LINE1} |  
| AND {PERSON-TYPE-PROVIDER STREET ADDRESS LINE2}, |  
| DISPLAY LINES 1 & 2 OF THE ADDRESS FOR THE PERSON |  
| PROVIDER SELECTED AT PV02. |  
| |  
| DISPLAY '& FACILITY NAME' IF THERE IS A FACILITY- |  
| PROVIDER NAME ASSOCIATED WITH THE PERSON PROVIDER |  
| SELECTED AT PV02. IF NO FACILITY ASSOCIATED WITH |  
THIS PROVIDER, USE A NULL DISPLAY.

-----  
| IF "ADD NEW ADDRESS FOR PROVIDER" SELECTED, CREATE |  
| A NEW PROVIDER RECORD FOR THIS PROVIDER. SET |  
| PROVIDER TYPE AS 'PERSON-TYPE-PROVIDER' |  
(PROVTYPE=2).

-----  
| IF CODED '5' (SELECTED WRONG PROVIDER/ADDRESS), |  
| CAPI REDISPLAYS PV02 TO ALLOW INTERVIEWER TO |  
SELECT CORRECT PROVIDER.

PV04  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

What is the first and last name of the person that {provided  
health care to {you/{PERSON}}/{you/{PERSON}} usually {go/goes} to if  
{you/he/she} {are/is} sick}?

ENTER COMPLETE PROVIDER NAME {ASSOCIATED WITH THIS EVENT}  
AND VERIFY SPELLING.

[Enter Provider Name-65] ..... {PV05}

-----  
| DISPLAY 'provided health care to {you/{PERSON}}' |  
| IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED |  
| FROM THE ACCESS TO CARE (AC) SECTION. IF THE PV |  
| SECTION WAS CALLED FROM THE AC SECTION, DISPLAY |  
| '{you/{PERSON}} usually {go/goes} to if {you/he/ |  
she} {are/is} sick'.

-----  
| DISPLAY 'ASSOCIATED WITH THIS EVENT' IF THE |  
| PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM |  
| THE ACCESS TO CARE (AC) SECTION. IF THE PV |  
| SECTION WAS CALLED FROM THE AC SECTION, USE A |  
NULL DISPLAY.

-----  
| DISPLAY 'CLICK 'ADD PROVIDER' TO ADD A NEW |  
PROVIDER.' IF THERE ARE NO RECORDS IN THE ROSTER.

-----  
| CREATE A NEW PERSON-PROVIDER ON THE RU-MEDICAL- |  
PROVIDERS-ROSTER.

PV05  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE  
PROVIDER.....} {EV}

Is {PROVIDER} in a group practice, that is, do other doctors  
practice at the same office (or are part of an HMO)?

YES ..... 1 {BOX\_01}  
NO ..... 2 {PV06}  
REF ..... -7 {PV06}  
DK ..... -8 {PV06}

-----  
| IF CODED '1' (YES), FLAG PROVIDER AS 'PERSON-IN- |  
FACILITY-PROVIDER' (PROVTYPE=3).

-----  
| IF CODED '2' (NO), FLAG PROVIDER AS 'PERSON- |  
PROVIDER' (PROVTYPE=2).

PV06  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE  
PROVIDER.....} {EV}

What is the {new} street address for {PROVIDER}?

ENTER STREET ADDRESS AND VERIFY SPELLING. IF PROVIDER HAS  
MORE THAN ONE LOCATION, RECORD LOCATION PERSON VISITED.

PROVIDER\_STR1: [ \_\_\_\_\_ ]  
PROVIDER\_STR2: [ \_\_\_\_\_ ]

-----  
| DISPLAY 'new' IF PV03 IS CODED '2' (ADD NEW |  
| ADDRESS FOR PROVIDER). OTHERWISE, USE A NULL |  
DISPLAY.

-----  
| CODES '-7' (REF) AND '-8' (DK) ARE ALLOWED ON EACH |  
ADDRESS FIELD.

-----  
| IF PV04 WAS ASKED, ASSOCIATE ADDRESS WITH |  
PERSON-TYPE-PROVIDER ENTERED AT PV04.

-----  
| IF PV03 WAS CODED '2' (ADD NEW ADDRESS PROVIDER), |  
| RECORD ADDRESS IN THE NEW PROVIDER RECORD CREATED |  
AT PV03.

-----  
| IF A FACILITY WAS DISPLAYED AS PART OF PROVIDER'S |  
| ADDRESS AT PV03, ASSOCIATE THAT FACILITY WITH THE |  
| NEW PROVIDER RECORD AND FLAG THE PERSON |  
| PROVIDER AS A 'PERSON-IN-FACILITY-PROVIDER' |  
(PROVTYPE=3).

-----  
GO TO BOX\_02

PV07  
=====

OMITTED.



BOX\_01  
=====

-----  
| IF NO PROVIDERS THAT ARE 'FACILITY-PROVIDER' |  
| (PROVTYPE=1) ON RU-MEDICAL-PROVIDERS-ROSTER, GO |  
TO PV10

-----  
OTHERWISE, CONTINUE WITH PV08

PV08  
 =====

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

What is the name of the place that {provided health care to {you/{PERSON}}/{you/{PERSON}} usually {go/goes} to if {you/he/she} {are/is} sick}?

SELECT CORRECT {USUAL SOURCE OF CARE} {PROVIDER/FACILITY} {ASSOCIATED WITH THE EVENT}.

ROSTER. FACILITY-PROVIDERS	PV08 02. STREET
[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]
[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]
[Display Truncated Facility-Provider-30]	[Display Truncated Street Address-15]

```

-----
| DISPLAY 'provided health care to {you/{PERSON}}' |
| IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED |
| FROM THE ACCESS TO CARE (AC) SECTION. IF THE PV |
| SECTION WAS CALLED FROM THE AC SECTION, DISPLAY |
| '{you/{PERSON}} usually {go/goes} to if {you/he/ |
| she} {are/is} sick'. |
-----
  
```

```

-----
| DISPLAY 'USUAL SOURCE OF CARE' IF THE PROVIDER |
| ROSTER (PV) SECTION WAS CALLED FROM THE ACCESS TO |
| CARE (AC) SECTION. OTHERWISE, USE A NULL DISPLAY. |
| |
| DISPLAY 'PROVIDER' IF PV01 IS CODED '1' |
| (PERSON). DISPLAY 'FACILITY' IF PV01 IS CODED |
| '2' (FACILITY). |
| |
| DISPLAY 'ASSOCIATED WITH THE EVENT' IF THE |
| PROVIDER ROSTER (PV) SECTION WAS NOT CALLED FROM |
| THE ACCESS TO CARE (AC) SECTION. IF THE PV |
| SECTION WAS CALLED FROM THE AC SECTION, USE A NULL |
| DISPLAY. |
| |
| DISPLAY AN 'ADD NEW PROVIDER' OR 'ADD NEW |
| FACILITY' OPTION ON THIS SCREEN. |
-----
  
```

-----  
| IF 'ADD NEW PROVIDER' OR 'ADD NEW FACILITY' IS |  
| SELECTED, GO TO PV10 (NOTE THAT PV10 IS ACTUALLY |  
A POPUP ON PV08 AND PV09)

-----  
OTHERWISE, CONTINUE WITH PV09

-----  
| ROSTER DETAILS: |  
| TITLE: RU\_PROV\_SELECTONE\_2 |  
| |  
| COL # 1 HEADER: FACILITY-PROVIDER |  
| INSTRUCTIONS: DISPLAY TRUNCATED FACILITY-PROVIDER |  
| (PROV.LORPNAME) |  
| |  
| COL # 2 HEADER: STREET |  
| INSTRUCTIONS: DISPLAY TRUNCATED STREET ADDRESS |  
(PROV.PVSTRT1, PROV.PVSTRT2)

-----  
| ROSTER DEFINITION: |  
| THIS ITEM DISPLAYS RU-MEDICAL-PROVIDERS-ROSTER |  
FOR SELECTING ONE FACILITY TYPE MEDICAL PROVIDER.

-----  
| ROSTER BEHAVIOR: |  
| 1. SELECT ALLOWED. INTERVIEWER MAY SELECT ONE |  
| FROM THE LISTED MEDICAL PROVIDERS. |  
| |  
| 2. MULTIPLE SELECT DISALLOWED. |  
| |  
| 3. DELETE AND EDIT ARE NOT ALLOWED. |  
| |  
| 4. ADD ALLOWED. INTERVIEWER CAN SELECT THE 'ADD |  
NEW PROVIDER' OR 'ADD NEW FACILITY BUTTON'.

-----  
| ROSTER FILTER: |  
| DISPLAY FACILITY TYPE (PROV.PROVTYPE = 1) |  
PROVIDERS.

PV09  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {EV}

Is the address of (READ NAME AND ADDRESS OF  
({PROVIDER/FACILITY}) BELOW)...

{FACILITY NAME SELECTED AT PV08}  
{FACILITY STREET ADDRESS LINE1}  
{FACILITY STREET ADDRESS LINE2}

TO MAKE CORRECTIONS OR ADDITIONS TO ADDRESS, MAKE A COMMENT.

FACILITY NAME AND ADDRESS CORRECT ..... 1 {BOX\_02}  
ADD NEW ADDRESS FOR FACILITY ..... 2 {PV10A}  
SELECTED WRONG FACILITY/ADDRESS ..... 4  
REF ..... -7 {BOX\_02}  
DK ..... -8 {BOX\_02}

[Code One]

-----  
| DISPLAY 'PROVIDER' IF PV01 IS CODED '1' |  
| (PERSON). DISPLAY 'FACILITY' IF PV01 IS CODED |  
| '2' (FACILITY). |  
| |  
| FOR: {FACILITY NAME SELECTED AT PV08}, DISPLAY |  
| THE FACILITY-PROVIDER NAME SELECTED AT PV08. |  
| FOR: {FACILITY STREET ADDRESS LINE1.} AND |  
| {FACILITY STREET ADDRESS LINE2.}, DISPLAY LINES |  
| 1 AND 2 OF THE ADDRESS FOR THE FACILITY-PROVIDER |  
SELECTED AT PV08.

-----  
| IF CODED '1' (FACILITY NAME AND ADDRESS CORRECT) |  
| AND PV01 IS CODED '1' (PERSON), LINK THE FACILITY |  
| SELECTED AT PV08 TO THE PERSON PROVIDER FLAGGED |  
AS 'PERSON-IN-FACILITY-PROVIDER'.

-----  
| IF FACILITY-PROVIDER WAS SELECTED AT PV08 AND |  
| PV09 WAS CODED '2' (ADD NEW ADDRESS FOR FACILITY), |  
| CREATE ANOTHER RECORD FOR THE FACILITY-PROVIDER ON |  
| THE RU-MEDICAL-PROVIDERS-ROSTER AND ASSOCIATE |  
| ADDRESS THAT WILL BE ENTERED AT PV10A WITH THAT |  
| NEW PROVIDER RECORD. FLAG NEW PROVIDER AS |  
FACILITY (PROVTYPE=1).

```
-----  
| IF CODED '4' (SELECTED WRONG FACILITY/ADDRESS), |  
| CAPI REDISPLAYS PV08 TO ALLOW INTERVIEWER TO |  
| SELECT CORRECT FACILITY. |  
-----
```

PV10  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE  
PROVIDER.....} {EV}

What is the {new} name and street address of the place that  
{provided health care to {you/{PERSON}}/{you/{PERSON}}  
usually {go/goes} to if {you/he/she} {are/is} sick}?

ENTER {NAME AND} STREET ADDRESS AND VERIFY SPELLING. IF  
({PROVIDER/FACILITY}) HAS MORE THAN ONE LOCATION, RECORD LOCATION  
PERSON VISITED.

```
FACILITY_NAME (PV10_01): [_____]
FACILITY_STR1 (PV10_02): [_____] {BOX_02}
FACILITY_STR2 (PV10_03): [_____] {BOX_02}
REF ..... -7 {BOX_02}
DK ..... -8 {BOX_02}
```

```
-----  
| DISPLAY 'provided health care to {you/{PERSON}}' |  
| IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED |  
| FROM THE ACCESS TO CARE (AC) SECTION. IF THE PV |  
| SECTION WAS CALLED FROM THE AC SECTION, DISPLAY |  
| '{you/{PERSON}} usually {go/goes} to if {you/he/ |  
| she} {are/is} sick'. |  
-----
```

```
-----  
| DISPLAY 'new' IF PV09 IS CODED '2' (ADD NEW |  
| ADDRESS FOR FACILITY). OTHERWISE, USE A NULL |  
| DISPLAY. DISPLAY 'PROVIDER' IF PV01 IS CODED '1' |  
| (PERSON). DISPLAY 'FACILITY' IF PV01 IS CODED '2' |  
| (FACILITY). DISPLAY 'NAME AND' IF 'ADD PROVIDER' |  
| WAS SELECTED AT PV08 OR PV08 WAS NOT ASKED. |  
| IF 'ADD PROVIDER' WAS SELECTED AT PV08 OR |  
| PV08 WAS NOT ASKED, THE CONTEXT HEADER WILL NOT |  
| DISPLAY THE NAME OF THE MEDICAL CARE PROVIDER. |  
| THE CONTEXT HEADER WILL DISPLAY THE NAME OF THE |  
| PROVIDER(S) ASSOCIATED WITH THE EVENT ONLY IF PV09 |  
| WAS CODED '2' (ADD NEW ADDRESS FOR FACILITY). |  
-----
```

-----  
| DISPLAY AN 'ADD NEW PROVIDER' OR 'ADD NEW |  
FACILITY' OPTION ON THIS SCREEN.

-----  
| CODES '-7' (REF) AND '-8' (DK) ARE ALLOWED ON |  
THE STREET ADDRESS FIELDS ONLY.

-----  
| IF FACILITY-PROVIDER NOT SELECTED AT PV08 (I.E., |  
| PV08 WAS NOT ASKED OR 'NONE OF THE ABOVE' WAS |  
| SELECTED), ADD A FACILITY-PROVIDER TO THE |  
| RU-MEDICAL-PROVIDERS-ROSTER. FLAG NEW PROVIDER AS |  
FACILITY (PROVTYPE=1).

-----  
| IF PV01 IS CODED '1' (PERSON), LINK THE FACILITY |  
| TO THE PERSON-TYPE-PROVIDER FLAGGED AS |  
'PERSON-IN-FACILITY-PROVIDER'.

PV10A  
=====

{PERSON'S FIRST MIDDLE AND LAST NAME} {NAME OF MEDICAL CARE  
PROVIDER.....} {EV}

What is the {new} name and street address of the place that  
{provided health care to {you/{PERSON}}/{you/{PERSON}} usually  
{go/goes} to if {you/he/she} {are/is} sick}?

ENTER STREET ADDRESS AND VERIFY SPELLING. IF ({PROVIDER/FACILITY})  
HAS MORE THAN ONE LOCATION, RECORD LOCATION PERSON VISITED.

FACILITY\_STR1 (PV10a): [\_\_\_\_\_] {BOX\_02}  
FACILITY\_STR2 (PV10b): [\_\_\_\_\_] {BOX\_02}  
REF ..... -7 {BOX\_02}  
DK ..... -8 {BOX\_02}

-----  
| DISPLAY 'provided health care to {you/{PERSON}}' |  
| IF THE PROVIDER ROSTER (PV) SECTION WAS NOT CALLED |  
| FROM THE ACCESS TO CARE (AC) SECTION. IF THE PV |  
| SECTION WAS CALLED FROM THE AC SECTION, DISPLAY |  
| '{you/{PERSON}} usually {go/goes} to if {you/he/ |  
she} {are/is} sick'.

-----  
| DISPLAY 'new' IF PV09 IS CODED '2' (ADD NEW |  
| ADDRESS FOR FACILITY). OTHERWISE, USE A NULL |  
| DISPLAY. DISPLAY 'PROVIDER' IF PV01 IS CODED '1' |  
| (PERSON). DISPLAY 'FACILITY' IF PV01 IS CODED '2' |  
| (FACILITY). THE CONTEXT HEADER DISPLAYS THE NAME |  
| OF THE PROVIDER(S) ASSOCIATED WITH THE EVENT IF |  
PV09 WAS CODED '2' (ADD NEW ADDRESS FOR FACILITY).

-----  
| CODES '-7' (REF) AND '-8' (DK) ARE ALLOWED ON |  
THE STREET ADDRESS FIELDS ONLY.

-----  
| NOTE: PV10A DOES NOT COLLECT THE FACILITY NAME |  
| BUT COLLECTS ONLY NEW ADDRESSES ASSOCIATED WITH |  
| EXISTING FACILITY NAMES. THE NEW PROVIDER RECORD |  
FOR THIS FACILITY WAS ALREADY CREATED AT PV09.

PV11

====

OMITTED.

BOX\_02

=====

-----  
| RETURN TO QUESTIONNAIRE SECTION FROM WHICH THE |  
PROVIDER ROSTER (PV) SECTION WAS CALLED.